

## Workshop Vernier Caliper 100 Series

### Features

Standard DIN 862

- Standard workshop model with stop screw
- Assembly slider model
- 4-way measurement
- Made of hardened alloyed stainless steel
- Chromed scale with engraved graduations
- Measuring surface is micro-lapped
- Packed in plastic box



### WORKSHOP VERNIER CALIPER

Code No	Range	Resolution	Length of Jaws
MW100-15B	0-150mm / 0-6"	0.05mm - 1/128"	40mm
MW100-20B	0-200mm / 0-8"	0.05mm - 1/128"	50mm
MW100-30B	0-300mm / 0-12"	0.05mm - 1/128"	55mm
MW100-15BI	0-150mm / 0-6"	0.02mm - 0.001"	40mm
MW100-20BI	0-200mm / 0-8"	0.02mm - 0.001"	50mm
MW100-30BI	0-300mm / 0-12"	0.02mm - 0.001"	55mm

## Workshop Vernier Caliper 105 Series

### Features

Standard DIN 862

- Standard workshop model with stop screw
- Equipped with fine adjustment
- 4-way measurement
- Assembly slider model
- Made of hardened alloyed stainless steel
- Chromed scale with engraved graduations
- Measuring surface is micro-lapped
- Packed in plastic box



### WORKSHOP VERNIER CALIPER


Code No	Range	Resolution	Length of Jaws
MW105-20	0-200mm / 0-8"	0.05mm - 1/128"	50mm
MW105-30	0-300mm / 0-12"	0.05mm - 1/128"	55mm
MW105-20I	0-200mm / 0-8"	0.02mm - 0.001"	50mm
MW105-30I	0-300mm / 0-12"	0.02mm - 0.001"	55mm

## Precision Miniature Vernier Caliper 110 Series

### Features

Standard DIN 862

- Extra small precision vernier caliper
- Mono-block solid slider model
- 4-way measurement
- Made of hardened stainless steel
- Chromed scale with laser engraved graduations
- The scale shows both mm and inch value
- Measuring surface is micro-lapped
- Supplied with leather-look wallet



### PRECISION MINIATURE VERNIER CALIPER

Code No	Range	Resolution	Length of Jaws
MW110-07	0-70mm	0.05mm	20mm

## Precision Vernier Caliper 110 Series

### Features

Standard DIN 862

- High precision vernier caliper
- 4-way measurement
- Mono-block solid slider model
- Made of hardened stainless steel
- Chromed scale with laser engraved graduations
- The scale shows both mm and inch value
- Measuring surface is micro-lapped
- Supplied with leather-look wallet
- Optional plastic box



### PRECISION VERNIER CALIPER

Code No	Range	Resolution	Length of Jaws
MW110-15	0-150mm / 0-6"	0.05mm - 1/128"	40mm
MW110-15I	0-150mm / 0-6"	0.02mm - 0.001"	40mm
MW110-20	0-200mm / 0-8"	0.05mm - 1/128"	40mm
MW110-30	0-300mm / 0-12"	0.05mm - 1/128"	55mm

## Precision Vernier Caliper 115 Series

### Features

Standard: DIN 862

- High precision vernier caliper
- Solid slider model, 4-way measurement
- Made of hardened stainless steel
- Chromed scale with laser engraved graduations
- The scale shows both mm and inch value
- Measuring surface is micro-lapped
- Supplied with leather-look wallet



### PRECISION VERNIER CALIPER


Code No	Range	Resolution	Length of Jaws
MW115-15	0-150mm / 0-6"	0.05mm - 1/128"	40mm
MW115-15I	0-150mm / 0-6"	0.02mm - 0.001"	40mm

## Fine Adjustment Vernier Caliper 111 Series

### Features

Standard: DIN 862

- High precision Vernier caliper
- Equipped with fine adjustment
- 4-way measurement
- Made of hardened stainless steel
- Measuring surface is micro-lapped
- Supplied in plastic box



### FINE ADJUSTMENT VERNIER CALIPER

Code No	Range	Resolution	Length of Jaws
MW111-15I	0-150mm / 0-6"	0.05mm / 1/128"	40mm

## Large Workshop Vernier Caliper 150 Series

### Features

Standard: Factory Standard

- Standard workshop model with stop screw
- Mono block solid slider
- Made of hardened alloyed stainless steel
- Jaws for internal and external measurement
- Chromed scale with laser engraved graduations
- Measuring surface is micro-lapped
- With fine adjustment
- Packed in wooden box



### LARGE WORKSHOP VERNIER CALIPER

Code No	Range	Resolution	Length of Jaws
MW150-52	0-500mm / 0-20"	0.02mm - 0.001"	100mm
MW150-55	0-500mm / 0-20"	0.05mm - 1/128"	100mm
MW150-62	0-600mm / 0-24"	0.02mm - 0.001"	100mm
MW150-65	0-600mm / 0-24"	0.05mm - 1/128"	100mm
MW150-72	0-1000mm / 0-40"	0.02mm - 0.001"	125mm
MW150-75	0-1000mm / 0-40"	0.05mm - 1/128"	125mm
MW150-82	0-1500mm / 0-60"	0.02mm - 0.001"	150mm
MW150-85	0-1500mm / 0-60"	0.05mm - 1/128"	150mm

## Solid Slider Large Workshop Vernier Caliper 152 Series

### Features

- Standard workshop model with stop screw
- Mono block solid slider
- Made of hardened alloyed stainless steel
- Jaws for internal and external measurement
- Chromed scale with laser engraved graduations
- Measuring surface is micro-lapped
- With fine adjustment
- Packed in wooden box



### SOLID SLIDER LARGE WORKSHOP VERNIER CALIPER

Code No	Range	Resolution	Length of Jaws
MW152-55	0-500mm	0.05mm	100mm
MW152-65	0-600mm	0.05mm	100mm
MW152-75	0-1000mm	0.05mm	125mm
MW152-85	0-1500mm	0.05mm	150mm

## Long Jaw Vernier Caliper 155 Series

### Features

Standard: Factory Standard

- With longer jaws which permit the measurement of large workpieces
- Jaws for internal and external measurement
- Stop screw for locking the slider
- Made of hardened stainless steel
- Chromed scale with engraved graduations
- The scale shows both mm and inch value
- Measuring surface is micro-lapped
- With fine adjustment



### LONG JAW VERNIER CALIPER


Code No	Range	Resolution	Length of Jaws
MW155-32	0-300mm / 0-12"	0.02mm - 0.001"	150mm
MW155-35	0-300mm	0.05mm	150mm
MW155-52	0-500mm / 0-20"	0.02mm - 0.001"	200mm
MW155-55	0-500mm	0.05mm	200mm
MW155-62	0-600mm / 0-24"	0.02mm - 0.001"	300mm
MW155-65	0-600mm	0.05mm	300mm
MW155-72	0-1000mm / 0-40"	0.02mm - 0.001"	300mm

## Workshop Vernier Caliper 160 Series

### Features

Standard: Factory Standard

- Combination-jaw model
- Separate jaws for internal and external measurement
- Stop screw for locking the slider/jaws
- Made of hardened stainless steel
- Chromed scale with engraved graduations
- Measuring surface is micro-lapped
- With fine adjustment



### WORKSHOP VERNIER CALIPER

Code No	Range	Resolution	Length of Jaws
MW160-20	0-200mm	0.05mm	60mm
MW160-22	0-200mm	0.02mm	60mm
MW160-30	0-300mm	0.05mm	90mm
MW160-32	0-300mm	0.02mm	90mm

## Plastic Dial Caliper CDP150M

### Features

Standard: Factory Standard

- Manufactured from glass reinforced nylon material
- Highly durable design
- $\pm 0.1\text{mm}$  accuracy
- Plastic depth rod



### PLASTIC DIAL CALIPER

Code No	Range	Resolution
MWCDP150M	0-150mm	0.1mm

## Dial Caliper 140 Series

### Features

Standard: Factory Standard

- Rapid movement model with roller-button
- Rack cover prevents dust or grit fouling teeth of rack
- High precision model with mono block solid slider
- 4-way measurement
- Made of alloyed hardened stainless steel
- Chromed scale with engraved graduations
- Measuring surface is micro-lapped
- Black indicator plate with clear red pointer



### DIAL CALIPER

Code No	Range	Resolution	Length of Jaws
MW140-15	0-150mm	0.02mm	40mm
MW140-20	0-200mm	0.02mm	55mm
MW140-30	0-300mm	0.02mm	55mm

## Dial Caliper 141 Series

### Features

Standard: DIN 862

- Rapid movement with thumb wheel
- Covered rack
- 4-way measurement
- Hardened stainless steel rack
- Measuring surface is micro-lapped



#### DIAL CALIPER

Code No	Range	Resolution
MW141-15	0-150mm	0.02mm
MW141-15I	0-6"	0.001"

## Dial Caliper 142 Series

### Features

Standard: DIN 862

- High-quality shockproof dial caliper
- Rapid movement with thumb wheel
- Covered rack
- 4-way measurement
- Standard yellow metric face
- Hardened stainless steel rack
- Measuring surface is micro-lapped



#### DIAL CALIPER


Code No	Range	Resolution
MW142-15	0-150mm	0.02mm
MW142-20	0-200mm	0.02mm
MW142-30	0-300mm	0.02mm

## Polycal Digitronic Caliper

### Features

Standard: Factory Standard

- Polycarbonate frame
- 4 way measurement
- Accuracy +/- 0.2mm/0.008
- Functions: mm/inch, zero setting, ABS/INC measurement
- Supplied retail packed with vinyl pouch



### POLYCAL DIGITRONIC CALIPER

Code No	Range	Resolution	Length of Jaws
MW110-15DPC	0-150mm / 0-6"	0.01mm / 0.0005"	40mm

## Digitronic Pocket Caliper 110 Series

### Features

Standard: Factory Standard

- Ultra small Digitronic caliper
- On/off switch
- Zero point at any position
- Displays values in mm and inch
- All metal parts made of hardened steel



### DIGITRONIC POCKET CALIPER

Code No	Range	Resolution	Length of Jaws
MW110-10DPT	0-100mm / 0-4"	0.01mm / 0.0005"	30mm

## Value Line Digitronic Caliper 110 Series

### Features

Standard: DIN 862

- ABS/INC measurement
- Large LCD display
- On/off switch
- Zero point at any position
- Displays values in mm and inch
- All metal parts made of hardened stainless steel
- CR2032 battery




### VALUE LINE DIGITRONIC CALIPER 110-DBL SERIES

Code No	Range	Resolution	Length of Jaws
MW110-15DBL	0-150mm / 0-6"	0.01mm / 0.0005"	40mm
MW110-20DBL	0-200mm / 0-8"	0.01mm / 0.0005"	50mm
MW110-30DBL	0-300mm / 0-12"	0.01mm / 0.0005"	60mm

## Three Reading Digitronic Caliper DFC Series

### Features

- Extra large, easy-to-read display
- High measuring speed: 120" per second
- Read and convert in inch, metric and fractions
- Stainless steel frame with extra smooth movements
- CR2032 battery



METRIC



INCH



FRACTION

### THREE READING DIGITRONIC CALIPER DFC SERIES


Code No	Range	Resolution	Length of Jaws
MW110-15DFC	0-150mm / 0-6"	0.01mm / 0.0005" / 1/128"	40mm
MW110-20DFC	0-200mm / 0-8"	0.01mm / 0.0005" / 1/128"	50mm
MW110-30DFC	0-300mm / 0-12"	0.01mm / 0.0005" / 1/128"	60mm

## Digitronic Caliper 110 Series

### Features

Standard: DIN 862

- Easy to read LCD display
- Ground micro-lapped measuring surfaces
- Thumb wheel for fine adjustment
- Functions: mm/inch conversion, on/off, zero-setting, battery low indication
- SR44 Battery



### DIGITRONIC CALIPER

Code No	Range	Resolution	Length of Jaws
MW110-15DDL	0-150mm / 0-6"	0.01mm / 0.0005"	40mm
MW110-20DDL	0-200mm / 0-8"	0.01mm / 0.0005"	50mm
MW110-30DDL	0-300mm / 0-12"	0.01mm / 0.0005"	60mm

## Absolute Digitronic Caliper 110 Series

### Features

Standard: DIN 862

- True Origin Absolute digital caliper
- Large LCD display
- Thumb wheel for fine adjustment
- Functions: mm/inch conversion, on/off, zero setting, Origin setting
- SR44 battery



### ABSOLUTE DIGITRONIC CALIPER

Code No	Range	Resolution	Length of Jaws
MW110-15DAS	0-150mm / 0-6"	0.01mm / 0.0005"	40mm
MW110-20DAS	0-200mm / 0-8"	0.01mm / 0.0005"	40mm
MW110-30DAS	0-300mm / 0-12"	0.01mm / 0.0005"	40mm

## Water Resistant Digitronic Caliper IP54 Series

### Features

Standard: DIN 862

- Water and dust resistant to IP54 specification
- Functions: mm/inch conversion, on/off, zero setting, ABS/INC measurement
- Patented ceramic capacitive sensor
- Large LCD display
- CR2032 battery



### WATER RESISTANT DIGITRONIC CALIPER IP54


Code No	Range	Resolution	Length of Jaws
MW110-15WR	0-150mm / 0-6"	0.01mm / 0.0005"	40mm
MW110-20WR	0-200mm / 0-8"	0.01mm / 0.0005"	50mm
MW110-30WR	0-300mm / 0-12"	0.01mm / 0.0005"	60mm

## Waterproof Digitronic Caliper IP67 Series

### Features

Standard: DIN 862

- Water, coolant and dust proof to IP67 specification
- Functions: mm/inch conversion, on/off, zero setting
- CR2032 battery



### WATERPROOF DIGITRONIC CALIPER IP67


Code No	Range	Resolution	Length of Jaws
MW110-15DIP	0-150mm / 0-6"	0.01mm / 0.0005"	40mm

## Digitronic Caliper For External Grooves 120 Series

### Features

Standard: Factory Standard

- Top quality digital caliper
- Features knife style jaws for measuring of external grooves
- Modern design
- Large 7.5mm character height digital display
- Long life guaranteed
- Ground micro-lapped measuring surfaces
- Standard with roller button for easy controlled operation
- Functions: mm/inch conversion, on/off, data-output, zero-setting, battery low indication



### DIGITRONIC CALIPER FOR EXTERNAL GROOVES


Code No	Range	Resolution
MW120-15DC	0-150mm / 0-6"	0.01mm / 0.0005"

## Digitronic Caliper for Internal Grooves 125 Series

### Features

Standard: Factory Standard

- Top quality digital caliper
- Features universal jaws for measuring grooves
- Modern design
- Large 7.5mm character height digital display
- Long life guaranteed
- Ground micro-lapped measuring surfaces
- Standard with roller button for easy controlled operation
- Functions: mm/inch conversion, on/off, data-output, zero-setting, battery low indication



### DIGITRONIC CALIPER FOR INTERNAL GROOVES

Code No	Range	Resolution
MW125-15DC	0-150mm / 0-6"	0.01mm / 0.0005"

## Digitronic Caliper for External Grooves 120 Series

### Features

Standard: Factory Standard

- Top quality digital caliper
- Features standard jaws for measuring of external grooves
- Modern design
- Large 7.5mm character height digital display
- Long life guaranteed
- Ground micro-lapped measuring surfaces
- Standard with roller button for easy controlled operation
- Functions: mm/inch conversion, on/off, data-output, zero-setting, battery low indication



### DIGITRONIC CALIPER FOR EXTERNAL GROOVES

Code No	Range	Resolution
MW120-15DB	0-150mm / 0-6"	0.01mm / 0.0005"

## Digitronic Long Jaw Caliper 110 Series

### Features

Standard: Factory Standard

- Top quality digital caliper
- Equipped with long jaws
- Modern design
- Large 7.5mm character height digital display
- Long life guaranteed
- Ground micro-lapped measuring surfaces
- Standard with roller button for easy controlled operation
- Functions: mm/inch conversion, on/off, data-output, zero-setting, battery low indication



### DIGITRONIC LONG JAW CALIPER

Code No	Range	Resolution	Length of Jaws
MW110-15DLJ	0-150mm / 0-6"	0.01mm / 0.0005"	60mm

## Large Digitronic Workshop Caliper 150 Series

### Features

Standard: Factory Standard

- Top quality digital caliper
- Modern design
- Large 7.5mm/10mm character height digital display
- Long life guaranteed
- Ground micro-lapped measuring surfaces
- Functions: mm/inch conversion, on/off, data-output, zero-setting, ABS/zero, battery low indication
- With fine adjustment



### LARGE DIGITRONIC WORKSHOP CALIPER

Code No	Range	Resolution	Length of Jaws
MW150-50DDL	0-500mm / 0-20"	0.01mm / 0.0005"	100mm
MW150-60DDL	0-600mm / 0-24"	0.01mm / 0.0005"	100mm
MW150-75DDL	0-1000mm / 0-40"	0.01mm / 0.0005"	125mm

## Digitronic Nib Type Workshop Caliper 160 Series

### Features

Standard: Factory Standard

- Top quality digital caliper
- Features nib type and standard jaws
- Modern design
- Large 7.5mm character height digital display
- Long life guaranteed
- Ground micro-lapped measuring surfaces
- Standard with roller button for easy controlled operation
- Functions: mm/inch conversion, on/off, data-output, zero-setting, battery low indication
- With fine adjustment



### DIGITRONIC NIB TYPE WORKSHOP CALIPER

Code No	Range	Resolution	Length of Jaws
MW160-20D	0-200mm / 0-8"	0.01mm / 0.0005"	60mm
MW160-30D	0-300mm / 0-12"	0.01mm / 0.0005"	60mm
MW160-50D	0-500mm / 0-20"	0.01mm / 0.0005"	150mm

## Vernier Depth Gauge 170 Series

### Features

Standard: Factory Standard

- Standard workshop model made of alloyed stainless steel
- Screw stop solid slider model
- With laser engraved graduations
- The scale shows mm value
- Measuring surface is micro-lapped



### VERNIER DEPTH GAUGE

Code No	Range	Resolution	Length of base
MW170-15	0-150mm	0.02mm / 0.001"	100mm
MW170-15B	0-150mm	0.05mm / 1/128"	100mm
MW170-20	0-200mm	0.02mm / 0.001"	100mm
MW170-20B	0-200mm	0.05mm / 1/128"	100mm
MW170-30	0-300mm	0.02mm / 0.001"	100mm
MW170-30B	0-300mm	0.05mm / 1/128"	100mm
MW170-50B	0-500mm	0.05mm / 1/128"	150mm
MW170-50BI	0-500mm	0.02mm / 0.001"	150mm

## Digitronic Depth Caliper 170 Series

### Features

Standard: Factory Standard

- Top quality digital depth caliper
- Available with hook (H) or without hook (B)
- Modern design
- Large 7.5mm character height digital display
- Long life guaranteed
- Ground micro-lapped measuring surfaces
- Functions: mm/inch conversion, on/off, data-output, zero-setting, battery low indication



### DIGITRONIC DEPTH CALIPER

Code No	Range	Resolution	Length of base
MW170-15DB	0-150mm / 0-6"	0.01mm / 0.0005"	100mm
MW170-15DH	0-150mm / 0-6"	0.01mm / 0.0005"	100mm
MW170-20DB	0-200mm / 0-8"	0.01mm / 0.0005"	100mm
MW170-20DH	0-200mm / 0-8"	0.01mm / 0.0005"	100mm
MW170-30DB	0-300mm / 0-12"	0.01mm / 0.0005"	100mm
MW170-30DH	0-300mm / 0-12"	0.01mm / 0.0005"	100mm

## Mechanical Depth Gauge 172 Series

### Features

- 0-25mm travel indicator
- Satin chrome finish
- Rods connect together for full 550mm capacity
- Base size: 100mm
- Includes 2 extra points for small hole applications



### MECHANICAL DEPTH GAUGE

Code No	Range	Resolution
MW172-01	0-550mm	0.01mm

## Digitronic Depth Gauge 172 Series

### Features

- 0-25mm/0-1" travel indicator
- Inch/mm conversion
- Zero setting at any position
- Rods connect together for full 550mm capacity
- Base size: 100mm
- Includes 2 extra points for small hole applications



### DIGITRONIC DEPTH GAUGE

Code No	Range	Resolution
MW172-01D	0-550mm / 0-22"	0.01mm / 0.0005"

## Digitronic Tyre Profile Gauge 176 Series

### Features

- Spring loaded with a hold measurement button for ease of use
- Large LCD display
- Supplied on retail packaging
- Vinyl holder supplied as standard



### DIGITRONIC TYRE PROFILE GAUGE

Code No	Range	Resolution
MW176-01DTG	0-25mm / 0-1"	0.01mm / 0.0005"

## Digitronic Mini Depth Gauge 177 Series

### Features

- Spring loaded with hold measurement button for ease of use
- Large LCD display
- Supplied on retail packaging
- Plastic 50mm base
- M2.5 threaded measuring rod
- 25mm / 1" measuring stroke
- Includes 25mm and 50mm extension bars
- Battery CR2032
- Metric / Inch / Fraction reading



### DIGITRONIC MINI DEPTH GAUGE

Code No	Range	Resolution
MW177-01D	0-100mm / 0-4"	0.01mm / 0.0005 / 1/128"