


## Bevel Protractor BPRO Series

### Features:

- Complies with BS1685
- Resolution of 5 arc minutes (1/12 degree)
- Fully hardened and ground stainless steel body
- Top mounted adjuster for fine setting whilst the unit is on a flat surface
- Choice of blade lengths
- Locking lever fitted for ease of blade insertion and positive clamping
- Bevelled blade ends to facilitate working in awkward corners
- Scale plate is graduated 0 - 90° - 0, in both directions through 360°
- Satin chrome plated scale for glare free readings
- Magnifying lens for clear easy reading of the flush scale, preventing parallax errors



### BEVEL PROTRACTOR

Item	Details	Code No
Basic Set	Protractor body and 150mm blade	MWBPRO-6
Full Set	Protractor body, 150mm & 300mm blades, and acute angle attachment	MWBPRO
300mm Blade	Supplied as standard with full set	MWBP12-RULE
Acute Angle	Attachment (Supplied as standard with full set)	MWAAA

## Universal Bevel Protractor 500 Series

### Features

Standard: Factory Standard

- Made of high quality hardened and ground stainless steel
- High precision satin chromed scale
- Minimum reading 5 minutes
- Magnifying glass for easy reading
- With fine adjustment and height gauge attachment
- 300mm / 12" and 150mm / 6" rule
- Packed as set in plastic box



### UNIVERSAL BEVEL PROTRACTOR

Code No	Range
MW500-01	360 °

## Indicator Bevel Protractor 510 Series

### Features

Standard: Factory Standard

- Features high quality indicator
- Made of high quality hardened and ground stainless steel
- High precision satin chromed scale
- Minimum reading 5 minutes
- Magnifying glass for easy reading
- With fine adjustment and height gauge attachment
- 300mm / 12" rule and 150mm / 6" rule
- Packed as set in plastic box



### INDICATOR BEVEL PROTRACTOR

Code No	Range
MW510-01	360°

## Digitronic Protractor 500 Series

### Features

- 360° measuring range (4 x 90°)
- Manufactured from stainless steel
- Displays in deg/min/sec and decimal
- Resolution 30"
- Accuracy +/- 5'
- Fine adjustment
- Supplied with 150mm, 200mm and 300mm blades
- Supplied with acute angle attachment
- Battery CR2032



### DIGITRONIC PROTRACTOR

Code No	Description
MW500-01D	Digital Protractor 0-360°

## Digitronic Protractor

### Features

- Large LCD display
- Strong magnets on all blade edges
- Easy-to-use and strong lock device
- Hold function
- Reversible reading
- Accuracy:  $\pm 0.2^\circ$



### DIGITRONIC PROTRACTOR

Code No	Sizes	Measuring Range	Resolution
MW505-01	100mm / 4"	360°	0.05°
MW505-02	200mm / 8"	360°	0.05°
MW505-03	300mm / 12"	360°	0.05°

## Digitronic Angle Rule

### Features

- Large LCD display
- Easy-to-use and strong lock device
- Inside and outside angle measuring
- Hold function
- Reversible reading
- Stainless steel rule blades with mm, 1/16", 1/32" and 1/64" scales



### DIGITRONIC ANGLE RULE

Code No	Sizes	Resolution
MW506-01	200mm / 8"	0.05°
MW506-02	300mm / 12"	0.05°